



YEALINK IP PHONE PRODUCT GUIDE



YEALINK NETWORK TECHNOLOGY CO., LTD.
Email: sales@yealink.com | Web: www.yealink.com

2025-07-SIP-EN-V3.0

CONTENTS

About Yealink	01
One-stop Voice Solution	05
T8 Series	07
T7 Series	17
T3 Series	29
DECT Phone Series	37
Wi-Fi IP Phone Series	53
Conference Phone Series	61
Accessories	71

ABOUT YEALINK

Yealink (Stock Code: 300628) is the global-leading provider of Unified Communication & Collaboration Solutions, dedicated to helping our clients embrace the power of "Easy Collaboration, High Productivity." With best-in-class quality, innovative technology, and user-friendly experience, Yealink is one of the best providers in more than 140 countries and ranks No.1 in the global market share of IP phone & SIP phone ship-ments (Frost & Sullivan, 2023).

NO.1

Yealink ranks No.1 in the global market share of IP phone and has been No. 1 in SIP market for 5 years

20+

20+ years of experience with audio, video, cloud and AI technology

50,000,000

More than 50 million Yealink IP endpoints have been sold globally.

100%

Everyone in Yealink strives to make communication simpler and more efficient.





Ecosystem

Yealink's partnership and broad compatibility with major platforms and service providers enable customers to benefit from seamless integration, greater flexibility and productivity.

SIP Phone Technology Partners

Service Provider Partners

Company Awards

 TMC 2017 Best Product of the Year Award	 Funkschau Best Product of the Year Award	 ITSPA 2019 Best VoIP Device of the Year Award	 TMC Lab Innovation Award
 Frost & Sullivan 2020 Global Tabletop Audio Conferencing Endpoint Award	 TMC2016 Communications Solutions Product of the Year Award	 Deloitte Asia Pacific Technology Fast 500	

YEALINK ONE-STOP IP PHONE SOLUTIONS

Yealink provides a complete set of highly reliable and easy-to-use IP phone terminal options to effectively meet the needs of work communication and collaboration in any scenario. Customers can enjoy the convenience of one-stop sourcing provided by Yealink with simpler terminal device management and better technical support.

Team Collaboration

Easy remote conferencing



CP925



CP965

On-the-go

Easy use in certain mobile work scenarios

DECT Phone



W78H/W59R

Wi-Fi Phone



AX83H/AX86R

Common Areas

Meet basic communication needs



T33G



T31G

Executive

Easy Collaboration in front of your desk



T88V Pro



VP59

General Office

Superb HD call quality
best in smarter UI design



T85W



T74U/T74W

Front Desk

Professional reception service



T87W+EXP



T85W+EXP

T8 SERIES

Premium Flagship Desk Phone

The Yealink T8 Series represents the premium SIP desk phones. As one of the industry's most advanced IP phone portfolios, it combines a fashionable design, AI-powered audio, enhanced security, smarter user experience, and a sustainable mindset — delivering truly customer-centric communication and collaboration for businesses of all sizes.





Fashionable Design for Your Smart Workstyle

The all-new fashionable design, featuring invisible hinge, slimmer body, larger color display, emergency button, and antimicrobial materials, fits into your modern style. Enjoy comfortable hand feel when you start to work with it.



Ultra-clear Audio that Sounds Extraordinary

Empowered by AI Noise Cancellation, optimized Acoustic Shield and 3W speaker, T8X delivers upgraded AI-powered audio quality and volume. Enjoy focused communication in an immersive environment without noise.



Security Enhanced at the Core

Yealink T8 Series features Three Rings of Security—Core Ring ensures device integrity by preventing tampering and unauthorized access; Shield Ring protects network connections against intrusions and attacks; and Guard Ring secures transmission by protecting signaling, media, and user data in transit and at rest.



Next-level Connectivity as Your Companion Device

The latest built-in Bluetooth 5.0 and Wi-Fi 6.0 provide more device coordination and flexible network connection. Instantly get on your headset by close-to-pair! The T8X series also support sidecars for speed dial needs.



Smart UX for Seamless and Efficient Work

Redesigned UI makes easy access to more functionalities, like BLF floating, Accessibility Mode, Dark Theme. Enjoy unified interaction and more user-friendly experience!



Call in a Sustainable Future

Adoption of PCR materials (T87W/T88W/T88W Pro/T88V Pro only), green packaging and power-saving mode reduce plastic waste, carbon footprint for sustainability.

VP59 Flagship Desktop Phone

Recommended Users: senior managers, executives with integrated video calling needs

- 8" capacitive adjustable touch screen, sleek style with intuitive user interface
- 1080p@30 full HD video, with audio 2M pixels camera, larger field of view of 84°, the highest video quality standard for desktop phones
- Optimal HD Voice with Yealink Noise Proof and Acoustic Shield Technologies
- Built-in Wi-Fi (Dual-band 2.4G/5G) & Bluetooth
- Supports Power over Ethernet HDMI extension output for monitor connection



T88W Series Elite Desktop Phone

Recommended Users: executives, professionals with integrated video calling needs

- Flexible to choose whether to have the five-megapixel camera for multi-way audio/video mixed conferencing.
- Android 13 OS for better data encryption, authority management, response speed and integratability.
- TEE hardware encryption solution, which can provide you with a more secure data storage Experience.
- 7" capacitive adjustable touch screen, sleek style with intuitive user interface.
- Optimal HD Voice with Yealink AI Noise Cancellation and Acoustic Shield Technologies.
- Bluetooth handset (optional) that allows users to move around freely and conveniently.
- Built-in Wi-Fi 6 (Dual-band 2.4G/5G) & Bluetooth5.0.
- 2*USB 2.0 port(1*USB-A;1*USB-C) for USB recording and wired/wireless USB headsets
- Supports up to 3 EXP55, 234 additional buttons with LED system
- Support the use of more environmentally friendly PCR materials





T87W Prime Business Phone

Recommended Users:
officers with heavy call load



- Linux 6.1 offers a more secure environment and faster response.
- TEE hardware encryption solution, which can provide you with a more secure data storage experience
- 7" capacitive adjustable touch screen, sleek style with intuitive user interface
- Optimal HD Voice with Yealink AI Noise Cancellation and Acoustic Shield Technologies
- Built-in Wi-Fi 6 (Dual-band 2.4G/5G) & Bluetooth 5.0
- 2*USB 2.0 port (1*USB-A; 1*USB-C) for USB recording and wired/wireless USB headsets
- Supports up to 3 EXP55, 234 additional buttons with LED system
- Support the use of more environmentally friendly PCR materials

T85W Mid-Level Business Phone

Recommended Users:
officers with moderate call load



- Linux 6.1 offers a more secure environment and faster response.
- TEE hardware encryption solution, which can provide you with a more secure data storage experience.
- 5.5" capacitive adjustable screen, sleek style with intuitive user interface.
- Optimal HD Voice with Yealink AI Noise Cancellation and Acoustic Shield Technologies
- Built-in Wi-Fi 6 (Dual-band 2.4G/5G) & Bluetooth 5.0
- 2*USB 2.0 port (1*USB-A; 1*USB-C) for wired/wireless USB headsets
- Supports up to 3 EXP55, 234 additional buttons with LED system

T8 Series Specifications

Model	T88V Pro	T88W Pro	T88W	T87W	T85W
					
Operating System	Android 13	Android 13	Android 13	Linux 6.1	Linux 6.1
Encryption Scheme	TEE hardware encryption	TEE hardware encryption	TEE hardware encryption	TEE hardware encryption	TEE hardware encryption
Interface					
LCD display	7" 1024X600 Capacitive Touch Screen	7" 1024X600 Capacitive Touch Screen	7" 1024X600 Capacitive Touch Screen	7" 800X480 Capacitive Touch Screen	5.5"960X480 color LCD
LCD Type	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable
Memory Keys	84 Touch Keys	84 Touch Keys	84 Touch Keys	84 Touch Keys	60 (5 pages of 12 keys)
Audio Features					
HD Voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker
Speakerphone	Full Duplex	Full Duplex	Full Duplex	Full Duplex	Full Duplex
Speaker	3W	3W	3W	3W	3W
Wideband Codec	G.722	G.722	G.722	G.722	G.722
Narrowband Codec	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726, G.723.1, iLBC
HAC Handset	√(Bluetooth Wireless Handset BTH88)	√(Bluetooth Wireless Handset BTH88)	√	√	√
Acoustic Shield	√	√	√	√	√
Yealink Noise Cancellation	√	√	√	√	√
Video Features					
Camera	5 Mega-pixel, Adjustable	×	×	×	×
Video Resolution	720p@30fps HD	×	×	×	×
Video Codecs	H.264, JPEG	H.264, JPEG	H.264, JPEG	×	×
Connectivity					
PoE	√	√	√	√	√
Headset	USB/Bluetooth/RJ9	USB/Bluetooth/RJ9	USB/Bluetooth/RJ9	USB/Bluetooth/RJ9	USB/Bluetooth/RJ9
Bluetooth	Bluetooth 5.0	Bluetooth 5.0	Bluetooth 5.0	Bluetooth 5.0	Bluetooth 5.0
Wi-Fi	Built-in (2.4G and 5G)	Built-in (2.4G and 5G)	Built-in (2.4G and 5G)	Built-in (2.4G and 5G)	Built-in (2.4G and 5G)
Corded-Cordless Phone (via DD10K)	√	√	√	√	√
USB Port (2.0 Compliant)	1*USB-A/1*USB-C	1*USB-A/1*USB-C	1*USB-A/1*USB-C	1*USB-A/1*USB-C	1*USB-A/1*USB-C
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet
Handset Port (RJ-9)	√	√	√	√	√
Color Expansion Module EXP55	√	√	√	√	√
Telephony Features					
SIP Accounts	16	16	16	16	16
N-way Audio Conferencing	10	10	10	10	10
3-way Video/Audio Mixed Conferencing	√	√	√	×	×
Door Phone Integration	√	√	√	×	×
Basic Features					
External Yealink AC Adapter (Optional)	AC 100~240V Input and DC 12V/1.25A Output	AC 100~240V Input and DC 12V/1.25A Output	AC 100~240V Input and DC 12V/1.25A Output	AC 100~240V Input and DC 5V/2A Output	AC 100~240V Input and DC 5V/2A Output
Foot Stand	√	√	√	√	√
Wall Mountable	√	√	√	√	√

T7 SERIES

Ultra Business Desk Phone

The Yealink T7 Series is SIP phone designed for diverse business environments — from call centers and retail to modern offices. With a fashionable design, ultra-clear audio, enhanced security, flexible connectivity and smart user experience, it delivers reliable performance and a seamless user experience across every workspace.





Fashionable Design for Your Smart Workstyle

The all-new fashionable design, featuring slimmer body, larger color display and touchable buttons, fits into your modern style. Enjoy comfortable hand feel when you start to work with it.



Ultra-clear Audio that Sounds Extraordinary

Empowered by Smart Noise Filtering, optimized Acoustic Shield and 3W speaker, T7X delivers upgraded ultra-clear audio quality and volume. Enjoy focused communication in an immersive environment without noise.



Security Enhanced at the Core

Yealink T7 Series features Three Rings of Security—Core Ring ensures device integrity by preventing tampering and unauthorized access; Shield Ring protects network connections against intrusions and attacks; and Guard Ring secures transmission by protecting signaling, media, and user data in transit and at rest.



Next-level Connectivity as Your Companion Device

The latest built-in Bluetooth5.0 and Wi-Fi6.0 (only -W series) provide more device coordination and flexible network connection. Instantly get on your headset by close-to-pair.



Smart UX for Seamless and Efficient Work

Redesigned UI makes easy access to more functionalities, like BLF floating, Accessibility Mode, Dark Theme. Enjoy unified interaction and more user-friendly experience.



Call in a Sustainable Future

Adoption of green packaging and power-saving mode reduce plastic waste, carbon footprint for sustainability.

T77U Advanced Business Phone

Recommended Users: executives, managers



- Linux 6.1 offers a more secure environment and faster response.
- TEE hardware encryption solution, which can provide you with a more secure data storage experience.
- 7" color touch screen with backlit
- Optimal HD voice, Acoustic Shield & AI Noise Cancellation
- Up to 16 VoIP accounts
- Supports Bluetooth and Wi-Fi via optional USB Dongle
- Dual-port Gigabit Ethernet
- 84 DSS keys that can be easily programmed to various features
- Supports up to 3 EXP55, 234 additional buttons with LED system





T74W Professional Business Phone

Recommended Users: occupied professionals



- Linux 6.1 offers a more secure environment and faster response.
- TEE hardware encryption solution, which can provide you with a more secure data storage experience.
- 4.3" color screen with backlit
- Optimal HD voice, Acoustic Shield & Smart Noise Filtering
- Up to 16 VoIP accounts
- Supports built-in Bluetooth 5.0 and Wi-Fi 6
- Dual-port Gigabit Ethernet
- Flexible buttons that can be easily programmed with up to 50 DSS keys
- Supports up to 3 EXP55, 234 additional buttons with LED system

T74U Productive Business Phone

Recommended Users: busy office workers



- Linux 6.1 offers a more secure environment and faster response.
- TEE hardware encryption solution, which can provide you with a more secure data storage experience.
- 4.3" color screen with backlit
- Optimal HD voice, Acoustic Shield & Smart Noise Filtering
- Up to 16 VoIP accounts
- Supports Bluetooth and Wi-Fi via optional USB Dongle
- Dual-port Gigabit Ethernet
- Flexible buttons that can be easily programmed with up to 50 DSS keys
- Supports up to 3 EXP55, 234 additional buttons with LED system



T73W Feature-Rich Business Phone

Recommended Users: workers of co-working space



- Linux 6.1 offers a more secure environment and faster response.
- TEE hardware encryption solution, which can provide you with a more secure data storage experience.
- 2.8" color LCD with backlit
- Optimal HD voice, Acoustic Shield & Smart Noise Filtering
- Up to 12 VoIP accounts
- Supports built-in Bluetooth 5.0 and Wi-Fi 6
- Dual-port Gigabit Ethernet
- Flexible buttons that can be easily programmed with up to 40 DSS keys
- Supports up to 3 EXP55, 234 additional buttons with LED system

T73U Connective Business Phone

Recommended Users: office workers



- Linux 6.1 offers a more secure environment and faster response.
- TEE hardware encryption solution, which can provide you with a more secure data storage experience.
- 2.8" color LCD with backlit
- Optimal HD voice, Acoustic Shield & Smart Noise Filtering
- Up to 12 VoIP accounts
- Supports Bluetooth and Wi-Fi via optional USB Dongle
- Dual-port Gigabit Ethernet
- Flexible buttons that can be easily programmed with up to 40 DSS keys
- Supports up to 3 EXP55, 234 additional buttons with LED system

T7 Series Specifications

Model	T77U	T74W	T74U	T73W	T73U
					
Operating System	Linux 6.1	Linux 6.1	Linux 6.1	Linux 6.1	Linux 6.1
Encryption Scheme	TEE hardware encryption	TEE hardware encryption	TEE hardware encryption	TEE hardware encryption	TEE hardware encryption
Resolution	800 x 480	480 x 272	480 x 272	320 x 240	320 x 240
LCD Backlight	√	√	√	√	√
Display	7" color touch screen	4.3" color LCD	4.3" color LCD	2.8" color LCD	2.8" color LCD
Line	16	16	16	12	12
Line Key	0	10	10	8	8
Memory Key	84 Touch Keys	50 (5 pages of 10 keys)	50 (5 pages of 10 keys)	40 (5 pages of 8 keys)	40 (5 pages of 8 keys)
HD Voice	HD Speaker,HD Handset	HD Speaker,HD Handset	HD Speaker,HD Handset	HD Speaker,HD Handset	HD Speaker,HD Handset
Wide-band Codecs	G.722	G.722	G.722	G.722	G.722
Narrow-band Codecs	G.711(A/μ), G.729A/B, G.726,G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726,G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726,G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726,G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726,G.723.1, iLBC
N-way Conferencing	10	10	10	5	5
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet
PoE	√	√	√	√	√
Handset Port (RJ-9)	√	√	√	√	√
Headset Port (RJ-9)	√	√	√	√	√
USB Port (2.0 compliant)	1*USB-A/1*USB-C	1*USB-A	1*USB-A	1*USB-A	1*USB-A
USB Headset	√	√	√	√	√
USB Recording	√	√	√	√	√
Yealink Bluetooth Adapter BT41	√	Bulit-in Bluetooth 5.0	√	Bulit-in Bluetooth 5.0	√
Yealink Wi-Fi Adapter WF50	√	Bulit-in Wi-Fi 6 （2.4G and 5G）	√	Bulit-in Wi-Fi 6 （2.4G and 5G）	√
Wireless Headset Adapter EHS40	√	√	√	√	√
Color Expansion Module EXP55	√	√	√	√	√
Foot Stand	2 adjustable angles	2 adjustable angles	2 adjustable angles	2 adjustable angles	2 adjustable angles
Wall Mounting	√	√	√	√	√
External Yealink AC Adapter (optional)	AC 100~240V input and DC 5V/2A output	AC 100~240V input and DC 5V/2A output	AC 100~240V input and DC 5V/2A output	AC 100~240V input and DC 5V/2A output	AC 100~240V input and DC 5V/2A output

T3 SERIES

CLASSIC DESKTOP IP PHONE

Yealink's T3 series is a classic and cost-effective entry-level business IP phone series for daily desktop voice communications. The T3 series maximizes productivity and enhances collaboration for businesses of various scales.





T34W Scalability Business Phone

Recommended users: office workers



- 2.4" 320x240-pixel color display with backlit
- Supports built-in Wi-Fi for wireless connection
- 5-way local conference
- Dual-port Gigabit Ethernet
- Adopts Hall switch extending the life of the phone
- Integrated USB 2.0 interface for headset connection

T33G High Performance Business Phone

Recommended users: frontline staff who needs reliable wired telephone



- 2.4" 320 x 240-pixel color display with backlit
- Adjustable multi-angle stand
- 5-way local conference
- Dual-port Gigabit Ethernet with integrated PoE (T33G)
- Adopts Hall switch extending the life of the phone



T31/T31P/T31G/T31W Essential Business Phone

Recommended users: frontline staff who needs reliable wired telephone



- 2.3" 132x64-pixel display with backlit
- Adjustable multi-angle stand
- 5-way local conference
- Built-in Power over Ethernet (PoE)
- Dual-port Gigabit Ethernet (T31G, T31W)
- Dual 10/100 Mbps network ports (T31/T31P)
- Built-in dual band 2.4G/5G Wi-Fi (802.11a/b/g/n/ac) (T31W)

T30/T30P Basic Business Phone

Recommended users: frontline staff who needs reliable wired telephone



- 2.3" 132x64-pixel display with backlit
- Adjustable multi-angle stand
- 5-way local conference
- Dual 10/100 Mbps network ports
- Adopts Hall switch extending the life of the phone

T3 Series Specifications

Model	T34W	T33G	T31/T31P/T31G/T31W	T30/T30P
				
LCD	2.4" color LCD	2.4" color LCD	2.3" graphical LCD	2.3" graphical LCD
Resolution	320 x 240	320 x 240	132 x 64	132 x 64
LCD Backlight	✓ (Adjustable Brightness)	✓ (Adjustable Brightness)	✓ (Adjustable Brightness)	X
Line	4	4	2	1
Line Key	4	4	2	0
Memory Key	12 (4 pages of 3 keys)	12 (4 pages of 3 keys)	2	0
PoE	✓	✓	✓ (T31P/T31G/T31W)	✓ (T30P)
Gigabit Ethernet	✓	✓ (T33P/T33G)	✓ (T31G/T31W)	X
Wi-Fi	✓	X	✓ (T31W)	X
USB Port	1	X	X	X
Wireless Headset Adapter	EHS35	EHS35	EHS35	EHS35
N-way Conferencing	5	5	5	5
Wide-band Codecs	G.722	G.722, Opus	G.722	G.722, Opus
Narrow-band Codecs	G.711(A/μ), G.729AB, G.726, iLBC, G.723.1	G.711(A/μ), G.729AB, G.726, iLBC, G.723.1	G.711(A/μ), G.729AB, G.726, iLBC, G.723.1	G.711(A/μ), G.729AB, G.726, iLBC, G.723.1
Foot Stand	2 adjustable angles	2 adjustable angles	2 adjustable angles	2 adjustable angles
Wall Mounting	✓	✓	✓	✓
Security Slot	✓	✓	✓	✓
External Yealink AC Adapter (optional)	AC 100~240V input and DC 5V/1200mA output	AC 100~240V input and DC 5V/600mA output	AC 100~240V input and DC 5V/600mA output	AC 100~240V input and DC 5V/600mA output

DECT PHONE SERIES

PROFESSIONAL CORDLESS IP PHONE

Enabling telephony communication in mobile working is of great significance in certain scenarios and environments such as warehouses, factory sites, retails, restaurants, SOHOs and SMEs.

Yealink DECT IP Phone Solution is specifically designed to power up on-the-move communication with sophisticated HD voice, robust battery and stable signal process performance.





Ergonomic Design for a Reliable and Portable Experience in Modern Workspaces

Compact, lightweight, and easy to carry, Yealink's DECT solution endpoints feature a metallic appearance, modern business style, classic hard keypad, and intuitive UI.



Superb HD Audio with Codec for Clear and Focused Communication

Based on professional hardware and a sophisticated acoustic algorithm, Yealink's DECT solution delivers superb quality audio with stable and reliable performance under diverse network conditions. Even in complicated environments, the audio processing capacity of Yealink's DECT phone systems can block out noise and keep conversations clear and focused.



Streamlined Provisioning and Management with Ease and Efficiency

Yealink's DECT phone systems support efficient provisioning and effortless mass deployment with Yealink's Redirection and Provisioning Service (RPS) and Boot mechanism, enabling remote deployment, maintenance, and upgrades.

T85W + DD10K DECT Desktop Phone

Recommended for desktop in DECT environment



- 5.5" color adjustable display with backlight
- HD voice with audio codec
- Full-duplex hands-free speakerphone with AEC
- Busy Lamp Field (BLF)
- Support up to 4 DECT cordless handsets

W78H Premium DECT Handset

Recommended for executive suites and SMEs



- New modern commercial design that is more compact and portable than ever
- 2.4" color screen with intuitive user interface
- HD voice and noise cancellation for crystal-clear audio experience
- Quick charging: 10-minutes charge time for 2-hours of talk time
- Vibration alarm to ensure you will not miss any calls even in noisy environments
- Headset connection via Bluetooth or 3.5 mm jack
- No Perception Upgrade, not affecting any work

W74H Cost-effective DECT Handset

Recommended for offices and hotels



- 1.8" TFT color screen with intuitive UI
- HD voice with noise cancellation
- Vibration for call reminders even in a noisy environment
- Up to 24 hours talk time (in ideal conditions)
- Up to 320 hours standby time (in ideal conditions)
- Headset connection via built-in Bluetooth 5.1 or 3.5 mm jack
- No Perception Upgrade, not affecting any work





W56H Mid-level DECT Handset

Recommended for supermarkets and SOHO

- 2.4" color screen with intuitive user interface
- Elegant keypad design with illumination and keypad lock
- Full-duplex speakerphone and HD voice
- Up to 30 hours talk time
- Up to 400 hours standby time
- Headset connection via 3.5 mm jack



W73H Basic DECT Handset

Recommended for warehouses and factories

- 1.8" color screen with intuitive user interface
- HD voice and noise cancellation
- Up to 35 hours talk time (in ideal conditions)
- Up to 400 hours standby time (in ideal conditions)
- Headset connection via 3.5 mm jack
- No Perception Upgrade, not affecting any work



W71H Entry-level DECT Handset

Recommended for warehouses and factories

- 1.8" black-and-white screen with intuitive user interface
- HD voice and noise cancellation
- Up to 340 hours standby time (in ideal conditions)
- Up to 30 hours talk time (in ideal conditions)
- No Perception Upgrade, not affecting any work




W59R Professional DECT Handset

Recommended for office staff who need to walk around the workplace frequently



- 1.8" color screen with intuitive UI
- IP67 standard
- HD voice with Opus audio codec, LC3 Plus and Noise Cancellation for optimal audio experiences
- Up to 28 hours of talk time (18 hours with Bluetooth headset)
- Up to 360 hours of standby time (200 hours with Bluetooth headset)
- Built-in Bluetooth
- No Perception Upgrade, not affecting any work
- Cushions the occasional fall and can easily withstand falls of up to 3.5 meters
- Alarm functions helping send emergency calls at the instant of occurrence.




W57R Entry-level DECT Handset

Recommended for workers in challenging environments like factories, warehouses, hotels, etc.



- 1.8" color screen with intuitive UI
- IP54 standard
- HD voice with Opus audio codec and Noise Cancellation
- Up to 40 hours of talk time
- Up to 575 hours of standby time
- No Perception Upgrade, not affecting any work
- Cushions the occasional fall and can easily withstand falls of up to 3.5 meters





DECT Single-cell System

Yealink W70B DECT Base Station

Designed for small- to medium-sized business, Yealink W70B is eligible for single-cell IP phone systems with up to 10 DECT endpoints and 6 repeaters for larger signal coverage.

Premium Audio Performance

Equipped with upgraded processing capability and acoustic algorithm, the W70B provides the users with better performance in signal stability and audio quality by supporting Opus codec and noise cancellation technologies.

Productive DECT Ecosystem with All-rounded Endpoints

Yealink's W70B is compatible with Yealink's whole series of DECT endpoints including handsets, conference phones and DD phones, offering multiple choices for building a wireless communication network in various workspaces across small and medium size business.

Easy Deployment and Efficient Management

The W70B supports efficient provisioning and effortless mass deployment with Yealink's Redirection and Provisioning Service (RPS) and Boot mechanism to realize the Zero Touch Provisioning. An upgraded web portal is also utilized for more intuitive and user-friendly experience in managing devices.



up to 10
DECT Handsets



up to 20
Simultaneous Calls



up to 10
SIP Accounts



up to 6
DECT Repeaters

Recommend Solutions:

For business workplaces

- W73P (W73H+W70B)
- W76P (W56H+W70B)
- W78P (W78H+W70B)

For challenging and harsh environments

- W79P (W59R+W70B)
- W77P (W57R+W70B)

DECT Multi-cell System

Consisting of the DECT Manager and base stations, Yealink's DECT multi-cell system provides superior mobile communication experience with seamless handover and an industry-leading roaming solution. With wide coverage and stable audio delivery, the multi-cell system is ideal for diverse scenarios including warehouses, factories, hotels, supermarkets and so forth.

Yealink's DECT IP Multi-Cell System provides easier and faster setup for users. With helpful tools such as the DECT Deployment Toolkit, IP discovery tool and auto sync level. To improve the efficiency of registering and managing a large number of endpoints, Yealink also offers simple and intuitive portals to save time and labor costs.

Yealink VIM Solution (VIM+W90DM+W90B)

- Supports up to 10 DMs
- Supports up to 600 bases
- Supports up to 2500 DECT endpoints
- Supports up to 2500 accounts
- Supports up to 2500 simultaneous calls



Yealink W90MC Solution (W90DM+W90B)

- Supports up to 60 bases
- Supports up to 250 DECT endpoints
- Supports up to 250 accounts
- Supports up to 250 simultaneous calls



Yealink W80MC Solution (W80DM+W80B)

- Supports up to 30 bases
- Supports up to 100 DECT endpoints
- Supports up to 100 accounts
- Supports up to 100 simultaneous calls



Yealink W75 Mini MC Solution (W75DM+W75B)

- Supports up to 3 bases
- Supports up to 20 DECT endpoints
- Supports up to 20 accounts
- Supports up to 20 simultaneous calls



DECT Series Specifications

Model	W59R	W57R	W78H	W74H	W56H	W73H	W71H
							
Protection class	IP67	IP54	NA	NA	NA	NA	NA
Size	157 x 50 x 20	157 x 50 x 20	149 x 48.5 x 20	145 x 48.4 x 21	175 x 53 x 20.3	145 x 48.4 x 21	145 x 48.4 x 21
LCD Display	1.8" 128 x 160	1.8" 128 x 160	2.4" 240 x 320	1.8" 128 x 160	2.4" 240 x 320	1.8" 128 x 160	1.8" 90 x 65 graphical LCD
Weight	183g	183g	126g	117g	148g	119g	112g
Bluetooth	Bluetooth 4.2	X	Bluetooth 5.1	✓	X	X	X
Vibrate	✓	✓	✓	✓	X	X	X
Battery Type	1460mAh Lithium	1460mAh Lithium	1010mAh Lithium	1010mAh Lithium	1460mAh Lithium	1010mAh Lithium	1010mAh Lithium
Battery Life	360h/28h	575h/40h	166h/21h	320h/24h	400h/30h	400h/35h	340h/30h
LCD Backlight	✓	✓	✓	✓	✓	✓	✓
Key Backlight	✓	✓	✓	✓	✓	✓	✓
Alarm Button	✓	✓	X	X	X	X	X
Headset jack	X	X	3.5 mm	3.5 mm	3.5 mm	3.5 mm	3.5 mm
Micro-USB	X	X	X	X	X	X	X
Belt clip	spring-loaded	spring-loaded	spring-loaded	spring-loaded	clip-on	spring-loaded	spring-loaded
Volume Side Key	✓	✓	X	X	X	X	X
Noise reduction	✓	✓	✓	✓	✓	✓	✓
Alarm Function	✓	✓	X	X	X	X	X
Notification Light	✓	✓	✓	✓	✓	✓	✓

Wi-Fi PHONE SERIES

PROFESSIONAL WIRELESS IP PHONE

Ideal for SMEs, offices, hotels, retails, warehouses, factories and healthcare.

The Yealink Wi-Fi Phone Series is purpose-built for mobile work environments, offering high mobility, low deployment costs, and simplified management. By leveraging existing corporate Wi-Fi networks, it delivers unified communications without the need for extra cabling or dedicated base stations.





Scalable, Seamless, and Secure Wireless Calling

With Wi-Fi 6 delivering faster speeds and greater capacity, seamless roaming ensures uninterrupted calls, while the WPA3 Enterprise protocol meets the stringent security needs of high-security organizations.



AI-powered HD Audio for Crystal-clear Conversations

Enjoy distraction-free calls with industry-leading Optima HD Voice and AI Noise Cancellation to eliminate background noise. The hearing aid compatible (HAC) handset ensures clearer sound for users with hearing loss.



Long-lasting Battery with Fast Charging via Type-C or Charging Cradle

Enjoy over a week of standby power for uninterrupted use, and recharge easily through the convenient Type-C port or charging cradle.



Over-the-air (OTA) Batch Deployment with Unified Management for Simplified Maintenance

Centralized control via the Yealink Device Management Platform (YDMP) greatly improves operational efficiency. A single Wi-Fi handset can share its network with other Wi-Fi handsets over the air via hotspot, streamlining large-scale deployment.

AX83H Business Wi-Fi Handset

Recommended for offices and hotels

- Dual-Band Wi-Fi 6 with seamless 802.11k/v/r roaming
- 2.4-inch 240 x 320 TFT color screen
- HD voice and AI noise cancellation
- Up to 9-hour talk time (in ideal conditions)
- Up to 200-hour standby time (in ideal conditions)
- 4 SIP accounts, local 5-way conference
- Type-C charging



AX86R Ruggedized Wi-Fi Handset

Recommended for healthcare and factories

- Dual-Band Wi-Fi 6 with seamless 802.11k/v/r roaming
- IP67-rated waterproof and dustproof, drop-proof up to 1.8 meters
- Antibacterial design, chemical cleaning resistant
- Red emergency button and automatic alarm
- 2.4-inch 240 x 320 TFT color screen
- HD voice, AI noise cancellation and acoustic shield
- Up to 13-hour talk time (in ideal conditions)
- Up to 300-hour standby time (in ideal conditions)
- 4 SIP accounts, local 5-way conference
- Type-C charging



Wi-Fi Phone Series Specifications

Model	AX83H	AX86R
		
Ruggedized	1.5m	IP67/1.8m/Antibacterial design/Chemical cleaning resistant
Telephony Features		
Line	4	4
N-way Conferencing	5	5
Audio Features		
HD Voice	HD handset, HD speaker	HD handset, HD speaker
Audio Codec	G.722, PCMU (G.711μ), PCMA (G.711A), G.729, G.729A, G.729B, G.729AB, G.726, G.723.1, iLBC	G.722, PCMU (G.711μ), PCMA (G.711A), G.729, G.729A, G.729B, G.729AB, G.726, G.723.1, iLBC
Smart Noise Filtering	✓	✓
HAC Compliant	✓	✓
Acoustic Shield	X	✓
Network		
Wi-Fi Protocol	2.4G&5G 802.11 a/b/g/n/ac/ax	2.4G&5G 802.11 a/b/g/n/ac/ax
Wi-Fi Roaming	802.11 k/r/v	802.11 k/r/v
Wi-Fi Encryption	WPA3	WPA3
Bluetooth	5.0	5.0
Physical Features		
Display	2.4" 240x320 TFT color screen	2.4" 240x320 TFT color screen
Soft Keys	2	3
Function Keys	6 (Dial, Hang up, Speaker, Voice message, Mute, Transfer)	6 (Dial, Hang up, Speaker, Voice message, Mute, Transfer)
Navigation key and OK key	✓	✓
Red Emergency button	X	✓
PTT button	X	✓
Keypad Backlight	✓	✓
Vibration	✓	✓
Wall Mounting	✓	✓
Battery&Charging		
Battery	2000mAh/9h talk/200h standby (in ideal conditions)	3100mAh/13h talk/300h standby (in ideal conditions)
Charging	Type-C, Cradle	Type-C, Cradle
Power Adapter	AC 100~240V input and DC 5V/1.2A output	AC 100~240V input and DC 5V/2A output
Interface		
3.5mm Jack	✓	✓
Type-C Port	✓	✓
Belt Clip	✓	✓
Sensor		
Proximity Sensor	✓	✓
Accelerometer	X	✓
Package Features		
Package Features	151.0 x 49.5 x 21 mm	160.1 x 55.3 x 25.85 mm
Handset Weight	126 g	218 g

CONFERENCE PHONE SERIES

PROFESSIONAL SHARED VOICE DEVICES

Yealink designs audio conferencing solutions for different conference environments, continuously improves its products, is dedicated to providing clear and smooth conference communication experiences for indoor and remote attendees, and helps customers reduce communication costs and increase productivity.





Ingenious Next-Gen Designs

Yealink's new conference phone series overturns traditional designs with an ultra-thin and sleek appearance and black acoustic fabric, ensuring crystal clear sound while blending perfectly into the business occasion of the conference room. This serialized design is also water, oil, and stain resistant, preventing issues caused by 'oops' moment in meetings.

Game-changing Audio Presence

Wrapped under the stunning appearance is a powerful set of technology and professional components that give Yealink conference phones outstanding audio quality. Yealink has developed a series of acoustic technology, including Smart Noise Filtering, Optimal HD audio, and Noise Proof Technology, to provide customers with studio-like audio experiences.

Easy Scalability for More Flexibility

Considering the various usage scenarios of customers in meetings, Yealink maximizes the scalability of conference phones. By simply connecting mobile devices such as smartphones, PSTN devices CPN10, etc., to the conference phone via Bluetooth or USB, attendees can join the meeting and enjoy the quality audio of hybrid UC meetings. Yealink conference phones are also able to connect with wireless expansion microphones (CPW25*pending/CPW65) to deliver optimal microphone placement and wider room coverage in meetings.

CP965 Flagship Conference Phone

Recommended for medium to large meeting rooms

Key Features:

- 5" capacitive touch screen, premium business styling, Reddot award-winning quality
- Android 9.0 OS for smoother operating experiences
- Built-in 12-microphone array for 360-degree voice pickup and 1 microphone for noise cancellation, providing best-in-class conversation environment
- Supports 2 DECT wireless expansion microphone CPW65 and 4 CP965 cascades, enabling CP965 to be utilized in more conferencing scenarios.



CP935W Wireless Conference Phone

Recommended for small to medium meeting rooms

Key Features:

- 4" capacitive touch screen, sleek style with intuitive user interface
- Built-in 6-microphone array for voice pickup and noise cancellation, covering a range of 20 feet with 360° Omni-direction for Optimal HD audio
- Built-in rechargeable battery with 75 hours standby time and 15 hours talk time for convenient mobility
- Built-in WIFI and Bluetooth for easy connection with BYOD devices such as smart phones for hybrid UC meetings.





CP935W-Base DECT Conference Phone

Recommended for small to medium meeting rooms



Key Features:

- 4" capacitive touch screen, sleek style with intuitive user interface
- Built-in 6-microphone array for voice pickup and noise cancellation, covering a range of 15 feet with 360° Omni-direction for Optimal HD audio
- Support DECT Mode
- Built-in rechargeable battery with 167 hours standby time and 15 hours talk time in DECT mode

CP925 Basic Conference Phone

Recommended for small to medium meeting rooms



Key Features:

- 4" capacitive touch screen, sleek style with intuitive user interface
- Built-in 7-microphone array for voice pickup and noise cancellation, covering a range of 20 feet with 360° Omni-direction, adequate to deliver clear and natural voice conference experience.
- Built-in WIFI and Bluetooth for easy connection with BYOD devices such as smart phones and PSTN device CPN10 for hybrid UC meetings.

Conference Phone Specifications				
Model	CP965	CP935W	CP935W-Base	CP925
				
Operating System	Android 12 (Coming Soon)	Linux	Linux	Linux
Interface				
LCD	5" 720 x 1280 touch screen	4.0" 480*800 touch screen	4.0" 480*800 touch screen	4.0" 480*800 touch screen
DSS Key	30	30	30	30
Audio Features				
HD Voice	✓	✓	✓	✓
Wide-band Codecs	G.722, G722.1C	G.722, G722.1C	G.722, G722.1C	G.722, G722.1C
Narrow-band Codecs	G.711(A/μ), G726, G729, G723, iLBC	G.711(A/μ), G726, G729, G723, iLBC	G.711(A/μ), G726, G729, G723, iLBC	G.711(A/μ), G726, G729, G723, iLBC
Built-In Microphone Array	13: 12 for sound pickup, 1 for noise cancellation	6 for sound pickup	6 for sound pickup	7: 6 for sound pickup, 1 for noise cancellation
Microphone Pickup	20f	20f	20f	20f
Noise Proof and Suppression	✓	✓	✓	✓
Connectivity				
Built-In PoE	IEEE 802.3at class4	X	X	IEEE 802.3at class3
Built-In Bluetooth	Bluetooth 4.2	Bluetooth 4.2	Bluetooth 4.2	Bluetooth 4.2
Built-In Wi-Fi	802.11a/b/g/n	802.11a/b/g/n	802.11a/b/g/n	802.11a/b/g/n
Type A	1 for: USB flash disk Wireless Mic charging	X	X	X
Type C	1 for: connect to PC	1 for: connect to PC	1 for: connect to PC	1 for: USB flash disk Wireless Mic charging
Ethernet Port	10/100Mbps	X	X	10/100Mbps
Wireless MIC	2 DECT Mic	X	X	X
Telephony Features				
Recording	Local recording, USB flash disk	✓ (Via USB flash drive)	✓ (Via USB flash drive)	✓ (Via USB flash drive)
N-way Conferencing	10-way conference	5-way conference	5-way conference	5-way conference
Create meeting directly	✓	✓	✓	✓
Hybrid UC Meeting	Smartphone SIP PSTN (via CPN10)	BT SIP	BT SIP	Smartphone SIP PSTN (via CPN10)
PSTN	✓	X	X	✓
Star Connection	✓(up to 4 units)	X	X	X
Basic Features				
Battery	X	Li-ion, 3.6V 7800mAh	Li-ion, 3.6V 7800mAh	X
Talk Time	X	15h	15h	X
Standby Time	X	75h	167h	X
Security Slot	✓	✓	✓	✓

YEALINK IP PHONE ACCESSORIES

Yealink's IP Phone accessories range from expansion modules to USB dongles and professional headsets. They increase the usability and impact of your existing collaboration network and maximize the compatibility of solutions.





EXP55 LCD Color-screen Expansion Module

- 5.5" 480x960-pixel color screen
- Color icons for rich visual experience
- 26 physical keys on each page with dual-color LED
- 3 control keys with LED for fast switching pages
- Supports up to 3 daisy-chained modules
- Supports Yealink T7&T8 Series only



DD10K DECT USB Dongle

- Supports Yealink T8 series.
- Supports up to 4 compatible Yealink handsets
- Plug and Play
- High Transmission Rate



CPW65 CP Wireless DECT Expansion Mic

- Audio input device for Yealink CP965 conference phone
- Optimal HD voice with 3 built-in microphones
- 10-foot (3-meter) 360° voice pickup
- Up to 20-meter connection distance with the CP965
- 11-day standby time and 13-hour talk time
- 360° non-directional charging on charger cradle



RT30 DECT Repeater

- Supports Yealink W70B DECT base station
- Up to 6 repeaters per base station
- Wall mountable



WF50 Dual Band Wi-Fi USB Dongle

- Compatible with Yealink T73U/T74U/T77U
- Dual-band connectivity
- High transmission rate
- Interference free, reliable connection



BT41 Bluetooth USB Dongle

- Compatible with Yealink T73U/T74U/T77U
- Support for up to 10 meters of range
- Wideband audio support



EHS40 Headset Adapter

- Compatible with Jabra, Plantronics, Sennheiser
- Control call through wireless headset
- Plug and play
- Easy to use